



SEV Series

Solar storage inverter

Efficiency

.4

• Advanced MPPT technology with up to 99.9% efficiency • Up to 22+22A PV input current

Safety

- Comprehensive security from hardware to software
- Multiple safety approvals

All-in-one

- Up to 200A charging current
- Supports Li-ion battery BMS communication

Farm

Reliable

- Outputs high quality pure sine wave AC power
- Up to 6 units in parallel connection

User-friendly

- Industrial design with a modern aesthetic look
- Easy to install and simple to use

Intelligent

• Exclusive Li-ion battery BMS dual activation

Island

• Time-slot function to save cost with peak-valley













MODELS	SEV-8K-SP	SEV-10K-SP	Can Be
INVERTER OUTPUT			
Rated Output Power	8,000W	10,000W	
Max. Peak Power	16,000W	20,000W	
Rated Output Voltage	230Vac, single-phase /	three-phase, be paralleled	~
Load Capacity of Motors	5HP	6HP	
Rated AC Frequency	50)/60Hz	~
Waveform	Pure Sine Wave		
Switch Time	10ms (typical)		
Parallel Capacity	1~6 units		
Output Mode	Off-grid (default) / Hybrid		
BATTERY			
Battery Type	Li-ion / Lead-acid / User-defined		~
Rated Battery Voltage	48Vdc		
Voltage Range	40 ~ 60Vdc		~
Max. MPPT Charging Current	180A	200A	~
Max. Mains/Generator Charging Current	100A	120A	~
Max. Hybrid Charging Current	180A	200A	~
PV INPUT			
Num. of MPPT		2	
Max. PV Array Power	5,500W + 5,500W		
Max. Input Current	22A + 22A		
Max. Voltage of Open Circuit	500Vdc + 500Vdc		
MPPT Voltage Range	125 ~	~ 425Vdc	
MAINS / GENERATOR INPUT			
Input Voltage Range	90 ~	275Vac	
Frequency Range	50/60Hz		
Bypass Overload Current		63A	
EFFICIENCY			
MPPT Tracking Efficiency 99.9%			
Max. Battery Inverter Efficiency		92%	
GENERAL			
Dimensions	620*445*130mm		
Weight	yht 27kg		
Protection Degree	IP20, Indoor Only		
Operating Temperature Range	-10~55 C , >45 C derated		
Noise	<60dB		
Cooling Method	Internal Fan		
Warranty	24 Months		
COMMUNICATION			
Embedded Interfaces	RS485 / CAN / USB / Dry contact		~
External Modules (Optional)	Wi-F	i / GPRS	✓
CERTIFICATION			
Safety	IEC62109-1, IEC62109-2		
EMC	EN61000-6-1, EN61000-6-3, FCC 15 class B		
RoHS Yes			

WhatsApp/Tel: +86 186 5518 6412 Add: Cross Border E-Commerce Supervision Zone, Yulei Road, Hefei, Anhui, China Email: info@sailsolarpv.com Web: www.sailsolarpv.com

